



## SMA Male to U.FL Jack Adapter

SMA male to U.FL jack adapter part number SM9854 from Fairview Microwave is in-stock and ships same day. This Fairview SMA to U.FL adapter has a male to jack gender configuration. SM9854 SMA male to U.FL jack adapter operates to 6 GHz. The SMA connector mates mechanically with commercially available 3.5mm and 2.92mm (K) connectors. The Fairview Microwave RF adapter provides good VSWR of 1.3:1 maximum.

RF adapters can be used to enable connections between two connector types that would otherwise not mate. Certain RF adapter configurations can also be used to protect connectors on expensive equipment where the number of connect and disconnect cycles is high. An RF, microwave, or millimeter wave adapter is connected to the equipment and the commonly changed connection is made with the adapter which can be easily replaced when it wears out after high usage; such adapters are referred to as connector savers. Fairview Microwave also offers bulkhead, panel mount, hermetically sealed, reverse polarity, and isolated ground adapter varieties to serve all of your RF, microwave and millimeter wave needs.

### **Electrical Specifications**

Description	Min	Тур	Max	Units
Frequency Range	DC		6	GHz
VSWR			1.3:1	
Operating Voltage (AC)			100	Vrms

Electrical Specification Notes: Values at 25°C, sea level.

#### **Mechanical Specifications**

Size

Lanath

Width		0.421 iii [10.09 filifi] 0.315 in [8 mm]		
Weight	0.00	0.009 lbs [4.08 g]		
Description	Connector 1	Connector 2		
Туре	SMA Male	U.FL Jack		
Polarity	Standard	Standard		
Interface Specification	MIL-STD-348A	MIL-STD-348A		
Hex Size	5/16 inch			
Mating Torque	3 to 5 in-lbs			
	[0.34 to 0.57 Nm]			

0.421 in [10.60 mm]



# **Configuration:**

- SMA Male Connector 1
- U.FL Jack Connector 2
- 50 Ohms
- Straight Body Geometry

#### **Features:**

- VSWR of 1.3:1 max up to 6 GHz
- SMA interface meets MIL-STD-348A
- U.FL interface meets MIL-STD-348A
- 50 µin minimum contact plating
- Gold Plated Brass Contact

# **Applications:**

- Enables Between Series Connections
- · General Purpose Test

Fairview Microwave 1130 Junction Dr. #100 Allen, TX 75013 Tel: 1-800-715-4396 / (972) 649-6678 Fax: (972) 649-6689 www.fairviewmicrowave.com





### **Material Specifications**

Description	Connector 1 Connector 2	
Туре	SMA Male	U.FL Jack
Contact Material	Brass	Brass
Contact Plating	Gold	Gold
Contact Plating Spec.	50 μin minimum	50 μin minimum
Insulation Material	PTFE	PTFE
Outer Contact Material		Brass
Outer Contact Plating		Gold
Outer Conductor Contact Spe	C.	3 µin minimum
Body Material	Brass	
Body Plating	Gold	
Body Plating Spec.	3 µin minimum	
Coupling Nut Material	Brass	
Coupling Nut Plating	Gold	
Coupling Nut Plating Spec.	3 µin minimum	

<b>Environmental</b>	<b>Specifications</b>
LIIVII OIIIII CIILAI	Specifications

Temperature

Operating Range

-40 to +90 deg C


**Compliance Certifications** (see product page for current document)

**Plotted and Other Data** 

Notes:



### **Typical Performance Data**



SMA Male to U.FL Jack Adapter from Fairview Microwave is in-stock and available to ship same-day. All of our RF/microwave products are available off-the-shelf from our ISO 9001:2008 certified facilities in Allen, Texas. Fairview Microwave is RF ondemand.


For additional information on this product, please click the following link: SMA Male to U.FL Jack Adapter SM9854

URL: https://www.fairviewmicrowave.com/sma-male-ufl-jack-adapter-sm9854-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Fairview Microwave reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Fairview Microwave does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Fairview Microwave does not assume any liability arising out of the use of any part or documentation.







FAIRVIEW MICROWAVE INC.  ALLEN, TX 75013 WWW.FAIRVIEWMICROWAVE.COM	NOTES:  1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.  2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.  3. DIMENSIONS ARE IN INCHES [mm].					
SMA Male to U.FL Jack Adapter	DWG NO SM9854		CAGE C	GE CODE 3FKR5		
	CAD FILE 071014	SHEET	SCALI	E N/A	SIZE A	2233