

# SM4468 DATA SHEET

# 7/16 DIN Female to 4.1/9.5 Mini DIN Female Adapter IP67 UnMated

# **Electrical Specifications**

Frequency Range DC to 6 GHz
Maximum VSWR 1.35:1
Maximum Insertion Loss 16.5 dB

## **Specifications by Frequency**

Description	F1	F2	F3	F4	F5	Units
Range	DC to 3	3 to 6				GHz
VSWR	1.15:1	1.35:1				
Return Loss	23.13	16.5				dB

# **Mechanical Specifications**

**Size** Length

Weight

Connector 1

Type Inne

Inner Conductor Material and Plating Body Material and Plating

Dielectric Type

**Connector 2** 

Type

Inner Conductor Material and Plating

Body Material and Plating

Dielectric Type

**Environmental Specifications** 

**Temperature** 

Operating Range

**Ingress Protection** 

1.872 in [47.55 mm]

0.26808 lbs [121.6 g]

7/16 DIN Female

Beryllium Copper, Silver

Brass, Tri-Metal

PTFE

4.1/9.5 Mini DIN Female

Beryllium Copper, Silver

Brass, Tri-Metal

PTFF

-40 to +120 deg C

IP67 UnMated

**Compliance Certifications** (visit www.FairviewMicrowave.com for current document)

#### **Plotted and Other Data**

Notes:

· Values at 25 °C, sea level



### Features:

- Ingress Protection: IP67 UnMated
- Connector 1: 7/16 DIN Female
- Impedance 1: 50 Ohms
- Connector 2: 4.1/9.5 Mini DIN Female
- Impedance 2: 50 Ohms
- Adapter Design: Standard
- Body Style: Straight


Fairview Microwave 1130 Junction Dr. #100 Allen, TX 75013

Tel: 1-800-715-4396 / (972) 649-6678

Fax: (972) 649-6689 www.fairviewmicrowave.com sales@fairviewmicrowave.com



#### **Typical Performance Data**




7/16 DIN Female to 4.1/9.5 Mini DIN Female Adapter IP67 UnMated from Fairview Microwave is in-stock and available to ship same-day. All of our RF/microwave products are available off-the-shelf from our ISO 9001:2008 certified facilities in Allen, Texas. Fairview Microwave is RF on-demand.

For additional information on this product, please click the following link: 7/16 DIN Female to 4.1/9.5 Mini DIN Female Adapter IP67 UnMated SM4468

URL: http://www.fairviewmicrowave.com/7-16-female-4.1-9.5-mini-din-female-adapter-sm4468-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Fairview Microwave reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Fairview Microwave does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Fairview Microwave does not assume any liability arising out of the use of any part or documentation.





FAIRVIEW MICROWAVE INC.  ALLEN, TX 75013 WWW.FAIRVIEWMICROWAVE.COM	NOTES:  1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.  2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.  3. DIMENSIONS ARE IN INCHES [mm].					
7/16 DIN Female to 4.1/9.5 Mini DIN Female Adapter	DWG NO SM4468			CAGE CODE 3FKR5		
IP67 UnMated	CAD FILE 061614	SHEET	SCALE	N/A	SIZE A	2233