

SM4480 DATA SHEET

Bulkhead 4.1/9.5 Mini DIN Female to N Female Adapter IP67 UnMated

Electrical Specifications

Frequency Range Maximum VSWR DC to 6 GHz 1.3:1

Specifications by Frequency

Description	F1	F2	F3	F4	F5	Units
Range	DC to 3	3 to 4				GHz
VSWR	1.15:1	1.2:1				
Return Loss	23.1	20.8				dB

Mechanical Specifications

Size Length

ngth 1.756 in [44.6 mm]

Connector 1

Type

Inner Conductor Material and Plating

Body Material and Plating Dielectric Type

Connector 2

Type

Inner Conductor Material and Plating

Body Material and Plating

Dielectric Type

Environmental Specifications Temperature

Operating Range

Ingress Protection

Plotted and Other Data

Notes:

Values at 25 °C, sea level

Features:

- Ingress Protection: IP67 UnMated
- Connector 1: 4.1/9.5 Mini DIN Female
- Impedance 1: 50 Ohms
- Connector 2: N Female
- Impedance 2: 50 Ohms
- Adapter Design: Standard
- Body Style: Straight
- Mount Method: Bulkhead

PTFE

4.1/9.5 Mini DIN

Beryllium Copper,

Brass, Tri-Metal

Beryllium Copper,

Brass, Tri-Metal

Female

Silver

PTFE

N Female

Silver


-55 to +120 deg C
IP67 UnMated

Fairview Microwave 1130 Junction Dr. #100 Allen, TX 75013 Tel: 1-800-715-4396 / (972) 649-6678

Fax: (972) 649-6689 www.fairviewmicrowave.com sales@fairviewmicrowave.com



Power Data




Bulkhead 4.1/9.5 Mini DIN Female to N Female Adapter IP67 UnMated from Fairview Microwave is in-stock and available to ship same-day. All of our RF/microwave products are available off-the-shelf from our ISO 9001:2008 certified facilities in Allen, Texas. Fairview Microwave is RF on-demand.

For additional information on this product, please click the following link: Bulkhead 4.1/9.5 Mini DIN Female to N Female Adapter IP67 UnMated SM4480

URL: http://www.fairviewmicrowave.com/bulkhead-4.1-9.5-mini-din-female-n-female-adapter-sm4480-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Fairview Microwave reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Fairview Microwave does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Fairview Microwave does not assume any liability arising out of the use of any part or documentation.





FAIRVIEW MICROWAVE INC. ALLEN, TX 75013 WWW.FAIRVIEWMICROWAVE.COM NOTES: 1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL. 2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY 3. DIMENSIONS ARE IN INCHES [mm].						
Bulkhead 4.1/9.5 Mini DIN Female to N Female	DWG NO SM4480			cage code 3FKR5		
Adapter IP67 UnMated	CAD FILE 061814	SHEET	SCALI	E N/A	SIZE A	2233