

SM3841 DATA SHEET

RA 1.85mm Female to 2.4mm Male Adapter

Electrical Specifications

Frequency Range DC to 50 GHz
Maximum VSWR 1.4:1
Maximum Insertion Loss 0.4 dB



Description	F1	F2	F3	F4	F5	Units
Range	DC to 50					GHz
VSWR	1.4:1					

Mechanical Specifications

Color

Connector 1

Type
Inner Conductor Material and Plating
Inner Conductor Plating Specification
Outer Conductor Material and Plating
Outer Conductor Plating Specification
Body Material and Plating
Body Plating Specification
Dielectric Type

Connector 2

Type
Inner Conductor Material and Plating
Inner Conductor Plating Specification
Coupling Nut Material and Plating
Coupling Nut Plating Specification
Body Material and Plating
Body Plating Specification
Dielectric Type

Environmental Specifications

Temperature

Operating Range -55 to +125 deg C

Compliance Certifications (visit www.FairviewMicrowave.com for current document)

RoHS Compliant Yes

Plotted and Other Data

Notes:

· Values at 25 °C, sea level

Silver

1.85mm Female Beryllium Copper, Gold MIL-G-45204 Passivated Stainless Steel ASTM A380 Passivated Stainless Steel ASTM A380 Air

2.4mm Male Beryllium Copper, Gold MIL-G-45204 Passivated Stainless Steel ASTM A380 Passivated Stainless Steel ASTM A380 Air



Features:

Connector 1: 1.85mm Female
Impedance 1: 50 Ohms
Connector 2: 2.4mm Male

Impedance 2: 50 OhmsAdapter Design: Standard

Body Style: Right Angle


Fairview Microwave 1130 Junction Dr. #100 Allen, TX 75013

Tel: 1-800-715-4396 / (972) 649-6678 Fax: (972) 649-6689

www.fairviewmicrowave.com sales@fairviewmicrowave.com



Typical Performance Data



RA 1.85mm Female to 2.4mm Male Adapter from Fairview Microwave is in-stock and available to ship same-day. All of our RF/microwave products are available off-the-shelf from our ISO 9001:2008 certified facilities in Allen, Texas. Fairview Microwave is RF on-demand.


For additional information on this product, please click the following link: RA 1.85mm Female to 2.4mm Male Adapter SM3841

URL: http://www.fairviewmicrowave.com/ra-1.85mm-female-2.4mm-male-adapter-sm3841-p.aspx

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Fairview Microwave reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Fairview Microwave does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Fairview Microwave does not assume any liability arising out of the use of any part or documentation.







FAIRVIEW MICROWAVE INC. ALLEN, TX 75013 WWW.FAIRVIEWMICROWAVE.COM		RWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL. NTIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME. ARE IN INCHES [mm].				
RA 1.85mm Female to 2.4mm Male Adapter	DWG NO SM3841			CAGE CODE 3FKR5		
	CAD FILE 051314	SHEET	SCAL	E N/A	SIZE A	2233